

Illuminant estimation in multispectral imaging

HARIS AHMAD KHAN^{1,2,*}, JEAN-BAPTISTE THOMAS^{1,2}, JON YNGVE HARDEBERG¹, AND OLIVIER LALIGANT²

¹The Norwegian Colour and Visual Computing Laboratory, NTNU - Norwegian University of Science and Technology, Gjøvik, Norway

²Le2i, FRE CNRS 2005, Arts et Métiers, Univ. Bourgogne Franche-Comté, Dijon, France

*Corresponding author: haris.a.khan@ntnu.no

Compiled May 3, 2017

With the advancement in sensor technology, use of multispectral imaging is gaining wide popularity for computer vision applications. Multispectral imaging is used to achieve better discrimination between the radiance spectra, as compared to the color images. However, it is still sensitive to illumination changes. This study evaluates the potential evolution of illuminant estimation models from color to multispectral imaging. We first present a state of the art on computational color constancy and then extend a set of algorithms to use them in multispectral imaging. We investigate the influence of camera spectral sensitivities and number of channels. Experiments are performed on simulations over hyperspectral data. The outcomes indicate that extension of computational color constancy algorithms from color to spectral, give promising results and may have the potential to lead towards efficient and stable representation across illuminants. However, it is highly dependant on spectral sensitivities and noise. We believe that the development of illuminant invariant multispectral imaging systems will be a key enabler for further use of this technology. © 2017 Optical Society of America

OCIS codes: (110.4234)Multispectral and hyperspectral imaging; (110.0110)Imaging systems; (110.2960)Image analysis; (310.6188)Spectral properties.

<http://dx.doi.org/10.1364/ao.XX.XXXXXX>

1. INTRODUCTION

Objects are perceived by their radiance in the visible region of the electromagnetic spectrum and for a given object, the radiance depends on its material properties, its shape and location in the scene. Intensity, position and spectral characteristics of the illuminant also play a major role in image generation. The spectral sensitivity of filters is another important parameter in image creation. In a simple imaging model with three channels, the image values $\mathbf{f} = (R, G, B)^T$ are dependent on the light source $e(\lambda)$, surface reflectance $r(\lambda)$ and camera sensitivity functions $\mathbf{c}(\lambda) = \{r(\lambda), g(\lambda), b(\lambda)\}$, as

$$\mathbf{f} = \int_{\omega} e(\lambda)r(\lambda)\mathbf{c}(\lambda)d\lambda. \quad (1)$$

In the human visual system, the three cone types are sensitive to certain wavelengths in photopic vision [1]. In the case of a camera with 3 channels, the color filters play a similar role. Multispectral imaging is being used to capture more spectral details in a scene as compared to conventional color images. Recently emerging technologies, such as the spectral filter arrays [2][3][4], enable a broader range of usage domains for multispectral imaging. The use of multispectral images in object recognition can perform better than the conventional RGB color

images [5]. An example of multispectral imaging system to determine quality attributes and ripeness stage in strawberries was proposed by Liu *et al.* [6]. In that work, the imaging system is first radiometrically calibrated using both a diffuse white and dark target. Similarly, most existing multispectral imaging systems are specifically designed and needs to be re-calibrated when the imaging conditions are changed. Extending the use of multispectral imaging system from heavily constrained environments to real world applications is still an open challenge. One of the major obstacles is calibration of multispectral camera according to the scene illuminant [7] [8][9][10][11]. In this work, we investigate the use of illuminant estimation algorithms for multispectral imaging systems.

We propose to extend the illuminant estimation algorithms from 3-channels to N-channels. Recently, Thomas [12] investigated the physical validity of these illuminant estimation algorithms by applying them on uncalibrated multispectral images (MSI) with 3, 5, 12 and 20 bands. That work showed that there is a huge variability due to scene contents, and suggests that the number and potential configuration of bands has an important influence on the results. In this work, we extend those preliminary results to a more general and exhaustive investigation through an experimental framework where we simulate

a multispectral imaging system using different number of sensors and configurations. In [12], only equi-Gaussian filters are used in simulations and evaluation is provided in form of angular error and goodness of fit coefficient. In this work, we use equi-Gaussian filters, Dirac delta form of filters and overlapping equi-energy filters for the evaluation of the effect of the filter configuration on illuminant estimation. We use the extension of specific illuminant estimation algorithms, which contain simple assumptions, provide efficient performance with natural scenes, and are robust to illumination changes since they do not require any training. We evaluate the results in form of angular error. We also map the illuminant in sensor domain into xy chromaticity space and then evaluate the xy chromaticity error. In this way, we are able to compare the performance of illuminant estimation algorithms and configurations between varying number of filters by reducing data into a common dimensionality. The experimental framework presented here can be extended for more sophisticated illuminant estimation algorithms as well, in order to develop optimal illuminant estimation system for multispectral imaging.

This paper is organized as follows. In Section 2, we briefly discuss computational color constancy and previous research on illuminant estimation in color images. In Section 3, we discuss previous work done on illuminant estimation in MSI and define the methodology for extension of illuminant estimation algorithms to higher dimensions. In Section 4, we present the experimental setup, the 5th section consists of results and discussion, while Section 6 concludes the paper.

2. COMPUTATIONAL COLOR CONSTANCY REVIEW

The captured color of objects generally changes when observed under different light sources, since the creation of an image is dependent not only on the spectral reflectance property of the object's surface and the camera's sensor sensitivity, but also on the incident illuminant on the object, as in Eq. 1. The human visual system has the natural ability to perceive constant color of surfaces despite the change in spectral composition of the illuminant [13] and this ability to discard illumination effects is called "Color Constancy" [14]. Color constancy is usually defined in the context of natural scenes along with flat matte and diffuse materials by a so-called "equivalent illumination model" [15][16]. Creating such a model for color constancy in computer vision is called computational color constancy (CCC). Developing an illuminant invariant computer vision system is an open area of research and there are algorithms which are able to perform well for particular conditions and assumptions, but still a universally accepted CCC system does not exist.

CCC plays an important role in color-based computer vision applications including object recognition, tracking and image classification [17]. Object representation and recognition from the standpoint of computer vision is discussed in detail in [18]. For example, in case of object recognition, the color of the object can be used as a feature, and it should appear constant across changes in illumination [19]. So the first step in achieving a constant representation of colors is to adjust the color changes due to the illuminant. CCC therefore deals with the representation of a scene with the effect of the illuminant being as small as possible. There are basically two approaches for this. One is to compute illuminant invariant features [20] [21] and a second to estimate the illuminant [22] and later apply a correction. Our work focuses on illuminant estimation in a scene.

The problem of developing an efficient and generic CCC al-

gorithm obviously depends strongly on the illuminant estimation in a given scene, which indeed is not a straightforward task. The core challenge for CCC is that the data acquired is a combination of three unknown factors; surface reflectance properties, color of illuminant and sensor sensitivities. Maloney and Wandell [23] showed that color constancy is indeed impossible without applying restrictions on spectral reflectance and illuminations.

From the imaging model given in Eq. 1, the goal of a color constancy system is to estimate the illuminant $\hat{\mathbf{e}}$, and this estimation is performed in the camera domain:

$$\mathbf{e} = \begin{pmatrix} R_e \\ G_e \\ B_e \end{pmatrix} = \int_{\omega} e(\lambda) \mathbf{c}(\lambda) d\lambda. \quad (2)$$

In Eq. 2, \mathbf{e} corresponds to the illuminant's projection over filters (IPF), which is a set of discrete values with the dimension equal to total number of filters (N). It should be noted that IPF is the response of each filter for the illumination (ground truth or estimated), and it is not equivalent to the spectral power distribution of the illumination itself.

Since the sensor's response \mathbf{f} is a combination of three unknown factors, therefore the estimation of scene illuminant $\hat{\mathbf{e}}$ is an ill-posed problem [24] and certain assumptions have to be made in order to estimate the scene illuminant. Once the illuminant is estimated within the sensor domain, then correction is applied to the acquired image in order to represent it as it would have been taken under a known light source. This process is also expressed as "discounting the chromaticity of the illuminant" by D'Zmura and Lennie [25]. This transformation is performed as

$$\mathbf{F}^c = \mathbf{D}^{\mu,c} \mathbf{F}^u, \quad (3)$$

where \mathbf{F}^u is the image taken in unknown light source and \mathbf{F}^c is the transformed image as if taken under a canonical illuminant, while $\mathbf{D}^{\mu,c}$ is the spectral adaptation transform matrix, which maps colors from captured image to their corresponding colors under a known illumination. The independence of color channels from each other is defined in the Retinex Model [26–28]. This assumption is closely related to the Von Kries coefficient rule [29, 30]. Land's White-Patch Algorithm [28], proposes that there is at least one pixel in each color channel which cause maximum reflection of the illuminant and when such maximum responses are combined, they form the color of illuminant. This assumption is alleviated by considering the color channels separately, resulting in the max-RGB algorithm [27].

The Grey-World Algorithm was proposed by Buchsbaum [31] and is based on the assumption that the average color of a scene is achromatic. The result of Grey-World algorithm was improved by Gershon *et al.* [32] by taking average reflectance of a database and assuming the average of the scene to be equal to that average reflectance.

The Shades of Gray Algorithm was introduced by Finlayson and Trezzi [33]. This is a general form of max-RGB and Grey-World Algorithms where it is shown that Grey-World algorithm is the same as using the L^1 Minkowski norm while max-RGB is equivalent to using L^∞ norm. In their case, the general equation for estimation of light source becomes

$$\left(\frac{\int F^p dx}{\int dx} \right)^{1/p} = k\mathbf{e}, \quad (4)$$

where k is a constant is p is the order of the Minkowski norm.

The Gray-edge Algorithm proposed by Weijer *et al.* [34], assumes that average of reflectance *derivative* in a scene is achromatic. This algorithm is expressed as:

$$\left(\frac{[\int [F_{\sigma}]^p dx]}{\int dx} \right)^{1/p} = k\mathbf{e}, \quad (5)$$

where F_{σ} is the smoothed image, after applying a Gaussian filter.

Edge-based CCC is explored further for higher order derivatives in [35]. Celik and Tjahjadi [36] used wavelet transform to down-sample the image before applying Grey-Edge algorithm for estimation of illuminant color, and for each down-sampled image, separate estimation is performed on the high pass filter's result. Decision for illuminant color is based on minimum error between the estimation in consecutive scales. CCC based on spatio-temporal statistics in a scene was proposed by Chakrabarti *et al.* [37] where the spatial features of object surfaces are also accounted for in the determination of the illuminant. That work is improved in [38] by using only the edge information for achieving computational efficiency. There are some approaches which try to select the most appropriate estimation using intrinsic properties from other color constancy algorithms [39].

Gamut mapping is also used in CCC. It was introduced by Forsyth [40]. He proposed that the color of an object is its representation under a fixed canonical light, rather than as a surface reflectance function. It is based on the assumption that *for a given illuminant, one observes only a limited number of colors*. Based on this assumption, any change in colors of the image is caused by the variation in color of the light source. The limited set of colors which can occur under a given illuminant is called the *canonical gamut* and is determined through observations of many surfaces under the known light source. Gijssen *et al.* [41] proposed gamut estimation for illuminant by using higher order statistics. Their results show that for lower number of surfaces, pixel-based gamut mapping performs well but with large number of surfaces, the efficiency of edge-based gamut mapping increases. Color-by-correlation [42] is a discrete version of Gamut mapping where the correlation matrix is used instead of canonical gamut for the considered illuminants, and is used with the image data to calculate the probability that the illumination in the test image is caused by which of the known illuminants.

Hue *et al.* [43], proposed an automatic white balancing algorithm by using gray points in an image for estimation of illuminant temperature. In their method, RGB image is converted into YUV color space and then those pixels where $U = V = 0$ or $R = G = B = Y$ are pointed out as Gray Points. A feedback system is used to estimate those points and then remaining pixels are corrected by adjusting the gain of R or B channel according to the illuminant color being detected. Yoon *et al.* [44] proposed dichromatic line space where a dichromatic slope is formed within dichromatic line space. Illuminant chromaticity is estimated through intersection of those lines. Ratnasingam and Collins [45] proposed two features that are described to represent chromaticity and are independent of intensity and correlated color temperature of illuminant in a scene. Sapiro [46] presented probabilistic Hough transform approach where a surface is selected according to the defined distribution and is used to recover the illuminant while using it along with sensor response. Bayesian formulation for solving CCC is used by

Brainard and Freeman [47] where each surface and light is represented by basis functions for which probability distribution is defined. Xiong and Funt [48] used stereo images for extraction of 3-D information as an additional source for illuminant estimation. Use of 6 channels is proposed by Finlayson *et al.* [49] in the chromagenic algorithm. The additional three channels are acquired by using chromagenic filter being placed in front of the sensor. The information from these channels is used to estimate the scene's illuminant from a set of known illuminants. Modification in chromagenic algorithm is proposed by Fredembach and Finlayson in the bright-chromagenic algorithm [50], by using only the brightest pixels in the two images.

Assuming that the subspace of reflectances of all surfaces is linear and in a small dimension then the number of sensors, Maloney-Wandell algorithm [51] propose that the sensor responses for the surfaces under one illuminant fall within a linear subspace of the same dimensionality. Estimation of surface colors under two illuminants using Retinex Theory is proposed by Barnard *et al.* [52] and Finlayson *et al.* [53]. Nieves *et al.* [54] proposed a linear pseudo-inverse method for recovery of spectral power distribution of the illuminants using a learning-based procedure. Their algorithm is based on the detection of naturally occurring bright areas in natural images, acquired through the color camera.

Machine Learning is also applied for illuminant estimation. In [55], multilayer neural network is trained using histograms of chromaticity of input images along with corresponding chromaticity of illuminant. A number of similar approaches can be found in [56] [57] [58]. Support Vector Machine is used in [59], which is based on the higher-order structure of images. Recently, Deep Learning is also utilized in color constancy as in [60][61]. Bianco *et al.* [62] used convolutional neural network for illuminant estimation in raw images. For generation of ground truth illumination, shades of gray, gray edge and gamut mapping is applied on the training data in their proposed method. Oh and Kim [63] treat this as illuminant classification problem by using deep learning.

We consider multispectral images taken in outdoor environment that can be generated by any mixture of illuminants. We are also interested in investigating the effect of number of filters and their configurations for illuminant estimation. We propose to select a set of illuminant estimation algorithms which can handle any type of illuminant without requiring prior training and provide straightforward extension to N dimensions. We also require the estimated illuminant to be in sensor dimension and not in the xy chromaticity space so that it can be used for spectral adaptation transform ($\mathbf{D}^{u,c}$ in Eq. 3). Following our review, we chose to investigate on the extension of gray-world, max-rgb, shades of gray and gray-Edge algorithms. Another reason for selection of these algorithms is the diversity of spectral imaging systems in term of spectral sensitivities and number of channels in our experiments. Initially we do not select the learning based algorithms as we are interested in generic illuminant estimation framework without the need of prior training. Although use of classification methods shows improvement in performance of illuminant estimation, the major problem with such techniques is availability of training data and the limited set of illuminations being considered. This is not a major problem in case of color images but may be troublesome in spectral images. Another constraint is the diversity of spectral imaging systems in term of spectral sensitivities and the number of channels. Therefore, we limit our investigations to "equivalent illumination models".

3. ILLUMINANT ESTIMATION FROM MULTISPECTRAL IMAGES

In this section, we will first discuss the previous work done for illuminant estimation in multispectral images and then define our proposed idea for extension of existing illuminant estimation algorithms from color to multispectral images.

A. Related work

In this section, we define the formation of a multispectral image and then review the literature on illuminant estimation on these images. Spectral imaging can be defined as an array of N channels representing several spectral components at each spatial location. Use of spectral imaging gained worldwide attention after the launch of Landsat in 1970 and since then it has been widely used in remote sensing applications. With the development in sensor technology, use of spectral imaging in short-range imaging is also expanded. A survey on hyperspectral and multispectral imaging technologies is provided by Vagni [64]. In this work, we are considering only *multispectral* images acquired through short-range imaging techniques, where N , the number of spectral filters, is typically in the range of 5 to 20 [65].

According to the sensitivity of a typical silicon sensor behind an optical system, having sensitivity range from 400 nm to 1100 nm, a multispectral system usually provides a combination of visible and/or near infrared bands, where the imaging model defined in Eq. 1 still holds.

$$\mathbf{f} = \int_{\omega} e(\lambda)r(\lambda)\mathbf{m}(\lambda)d\lambda, \quad (6)$$

where we now represent the camera sensitivities as $\mathbf{m}(\lambda) = \{m_1(\lambda), m_2(\lambda), \dots, m_N(\lambda)\}$.

Mosny and Funt [66] investigated the role of additional information acquired through multispectral imaging in order to improve the performance of already existing color constancy algorithms for illuminant chromaticity estimation. They used chromagenic algorithm [49], Maloney-Wandell algorithm [51], Grey-World algorithm [31] and Max-RGB [27]. Multispectral images were synthesized for their experiments by using the spectral sensitivity of Sony DXC-930 camera. For additional bands acquisition simulation, the sensitivity curves were shifted by $\pm 16nm$. They used 3, 6 and 9 bands for image acquisition along with 1995 surfaces and 287 illuminants. For representation of results, median angular error in the sensor domain and median angular error for illuminants estimates converted to RGB space, were used. According to their evaluation, there is slight improvement with 6 channels but overall there is no significant improvement in illuminant chromaticity estimation by increasing the number of bands. Such experiments are performed on real world data in [67] where authors have used 28 scenes being photographed with 10 different illuminations. For image acquisition, cool and warm filters were used with camera. Their evaluation methods show the same results that additional spectral bands does not contribute significantly towards illuminant chromaticity estimation.

Shrestha and Hardeberg [10] proposed a spectrogenic imaging system where two images are acquired from a scene; One normal RGB image and one filtered-RGB image. Illuminant estimation of the scene using these two images is performed using the Chromagenic Algorithm [49] and its modification proposed by Fredembach and Finlayson [50]. 87 illuminants were used for training the system and an illuminant with minimum fitting error was selected as the potential illuminant for the scene.

It is worth noting that the purpose of Mosny and Funt [66][67] was to investigate if there is any improvement in illuminant estimation achieved by increasing the number of filters, while in our work we want to investigate the extension of illuminant estimation into multispectral domain. The system proposed by Shrestha and Hardeberg [10] is limited in term of bands and illuminants. We are interested in development of an illuminant estimation framework for multispectral imaging with any number of bands and with any mixture of illuminants so that it can be used for outdoor image acquisition without requiring calibration.

B. Proposed multispectral illuminant estimation algorithms

In this work, we propose four algorithms for investigation, which are instantiations of a class of models referred to as “equivalent illumination models” and they assume a “flat-matte-diffuse” condition. These algorithms are computational attempts to implement the model of human visual system for color constancy using natural image statistics. We evaluate the performance of those algorithms with multispectral data by extending those techniques to N -dimensions and get the estimate of illuminant in sensor domain. We rename those algorithms so that the confusion between color information and spectral information is eliminated.

- Gray-World Algorithm [31] → Spectral Gray-World Algorithm
- Max-RGB Algorithm [27] → Max-Spectral Algorithm
- Shades of Grey Algorithm [33] → Spectral Shades of Gray Algorithm
- Gray-Edge Algorithm [34][35] → Spectral Gray-Edge Algorithm

In the Gray-World algorithm, it is assumed that the average reflectance of a scene is gray or achromatic. We extend this definition for the case of multispectral images by assuming that the average reflectance in an N -dimensional image is constant;

$$\left(\frac{\int r(\lambda)dx}{\int dx} \right) = k. \quad (7)$$

Using Eq. 4 with $p = 1$, the illuminant can be estimated by computing the average pixel values for each channel.

$$\begin{aligned} \frac{\int \mathbf{f}(\lambda)dx}{\int dx} &= \frac{1}{\int dx} \int_{\omega} e(\lambda)r(\lambda)\mathbf{m}(\lambda)d\lambda dx \\ &= k \int_{\omega} e(\lambda)\mathbf{m}(\lambda)d\lambda = k\hat{\mathbf{e}} \end{aligned} \quad (8)$$

The term $\hat{\mathbf{e}}$ is the estimate of illuminant in sensor domain. The same technique is used for spectral gray-edge algorithm where each channel is treated according to Eq. 5 after smoothing through Gaussian filter with $\sigma = 2$ and extraction of edges through derivative in both spatial axis. In case of spectral shades of gray algorithm, Eq. 4 is used with value of p higher than 1, while for Max-Spectral algorithm, we treat each spectral band separately to get the pixels with maximum response and use them for estimating the illuminant according to the originally presented hypothesis where authors used color images.

Our implementation strategy for extension of these algorithms is slightly different than [12] as we consider each channel of a multispectral image separately. It is worth mentioning that

both shades of gray and gray-edge algorithm use Minkowski norm p and in [33], authors declare that with $p = 6$, best results are obtained. In our experiments, we keep the same value of p as proposed by authors, however we perform experiment to obtain optimized value for this parameter and discuss it in the results section.

4. EXPERIMENTAL SETUP

A. Data Preparation

We use hyperspectral images from the [Foster Dataset 2004](#) [68], which are acquired in the wavelength range of 400-720 nm. This dataset contains reflectance data from natural scenes and is adequate for our purposes because of its natural image statistics, which are fundamental to the proposed methods (Fig. 1). In order to prepare radiance data, we use D65 and F11 illuminations to simulate a scene having mix D65-F11 illuminants (Fig. 2). D65 is used as standard daylight illuminant while F11 resembles the spectral response of Sodium-vapor lamp [69], which would typically represent an example of outdoor lighting, e.g. road or ski tracks. Illuminant F5 is also used in the experiments and we found similar results as being obtained with F11 illuminant. In this paper, we present the results obtained from the multispectral data generated through F11 illuminant.

We also consider noise in the multispectral imaging system. Typically, the main sources of noise are photon shot noise, dark current noise, read noise and quantization noise [70]. We do not consider photon shot noise and dark current noise since the [Foster Dataset 2004](#) is already corrected for these type of noise. We do not consider quantization noise either since the data is already quantized at 12-bit. We simulate the additive read noise in our experiments as normally distributed Gaussian noise with zero mean and 2% variance [71].

B. Sensor Configuration

The performance of the proposed algorithms would be affected by the spectral sensitivities of the sensors that capture the radiance [72]. In our experiments, we use a Gaussian model of sensor sensitivities. Such model has been extensively used in the literature to simulate sensors or to approximate Fabry-Pérot filter transmittance [73]. For our experiments, three sensor configurations S^g , S^d and S^{50} are investigated. Within the visible range, we define S^g as equi-Gaussian [12]. Full Width at Half Maximum (FWHM) of the sensor sensitivities decrease with increase in number of bands and the overlap between adjacent bands remain approximately same. By increasing the number of bands in this configuration, we are gradually shifting from typical multispectral sensors towards hyperspectral sensors. S^d configuration is a simulation of Dirac delta function where only the band corresponding to mean of the Gaussian filter is selected while rest of bands are discarded. It is of interest to test if such a configuration will provide any help in estimating the illuminants with spiky behaviour (e.g. F illuminants). Configuration S^{50} consists of equi-energy filters, having a fixed FWHM and $\sigma = 50nm$, which is different from S^g where the FWHM of filters get changed with change in number of bands. Using this configuration, we evaluate the effect of overlapping of filters for illuminant estimation.

In addition to the above explained filter configurations, we also consider different number of bands. 3 bands for simulating an instantiation of RGB cameras. 5 and 8 bands are used for simulating a typical multispectral camera [7]. 12 bands are used




Fig. 1. Rendering of hyperspectral images from [Foster Dataset 2004](#) into RGB with D65 illuminant. The hyperspectral images are acquired within the wavelength range of 400nm to 720nm with 10nm sampling. Each hyperspectral image consists of 33 spectral bands.

to get the best spectral reconstruction [74] while 20 bands are deployed to approach the properties of a hyperspectral sensor. Figure 3 show the three different configurations with 8 spectral filters.

C. Evaluation

We consider images with different number of bands, therefore the quantitative evaluation is not straightforward, especially when comparing results obtained with different number of bands. We consider different quality evaluation metrics, which include evaluation on the basis of angular error, goodness-of-fit coefficient (GFC) [75] and Normalized Mean Square Error (NRMSE). These 3 evaluation metrics are used only when the dimension of filters is the same and therefore results obtained from different number of filters cannot be compared. The estimated illuminants and ground truth illuminant are normalized by dividing each value from the maximum so that the range is within [0-1] and relative errors are evaluated. The three indicators are very similar in the way they evaluate the similarity between data. We determined the correlation among the computed metrics and found that the correlation between angular error and GFC is -0.987, while the correlation between angular




Fig. 2. Illuminants used for creating radiance data from hyperspectral reflectance data are shown. Normalization is performed by dividing each value by the maximum of that illuminant so that all values are within range of [0-1]. In (c), the mix D65-F11 illuminant consists of 50% D65 and 50% F11.




Fig. 3. Filter Configurations. For a configuration denoted S_8^{xy} , x is the number of filters and y represent the configuration where g =equi-Gaussian, d =Dirac delta, f =filter with constant FWHM. Here we show examples with 8 filters

error and NRMSE is 0.975 on our data. Therefore, we decide to discuss and analyse the results in terms of angular error in this paper.

Calculation of angular error (ΔA) between the original illuminant \mathbf{e} and the estimated illuminant $\hat{\mathbf{e}}$ is computed in radians as in Eq. 9. This is commonly used in CCC literature.

$$\Delta A = \arccos \frac{\mathbf{e}^T \hat{\mathbf{e}}}{\sqrt{(\mathbf{e}^T \mathbf{e})(\hat{\mathbf{e}}^T \hat{\mathbf{e}})}} \quad (9)$$

where \mathbf{e} is the ground truth illuminant directly acquired in sensor domain while $\hat{\mathbf{e}}$ is the estimated illuminant in sensor domain. When the estimated and measured illuminant are the same then it returns zero error.

The comparison of performance is done among five different number of spectral filters (3, 5, 8, 12 & 20), three different filter configurations (equi-Gaussian, Dirac delta & equi-energy filters), and 4 different algorithms (spectral gray-world, max-spectral, spectral shades of gray & spectral gray-edge). The estimated illuminant for all these configurations is compared with the ground-truth illuminant in the sensor domain.

To be able to compare results obtained from different number of filters, we project the data into the chromaticity space, where they could be compared at the expense of an error on the projection definition. We call this evaluation metric “ xy chromaticity difference” where we perform a camera linear colorimetric calibration based on mean square error fitting on the reflectance of X-Rite ColorChecker, similar to the work of [76] where authors used that technique for color reproduction of MSI. We get the CIEXYZ of both estimated and the ground truth illuminants using this method. xy values are computed from these values and the chromatic distance between them is observed in terms of Euclidean distance. This method enables us to compare the results obtained from different number of filters with each other. To verify the validity of this technique, we compared the ground truth illuminants in sensor domain with

the chromaticity value of D65 and found that the Euclidean distance between them varies between 0.000934 and 0.00523 in the xy chromaticity space, which is very small and therefore, we can neglect the chromaticity error introduced during mapping of illuminant from sensor domain to the xy chromaticity space.

We present the results in form of mean angular error, and in order to compare the statistical significance of results, Wilcoxon signed rank test (WST) is applied. The use of WST is recommended by Hordley and Finlayson [77] and is used for evaluation of illuminant estimation performance [50][78][79]. We investigate the statistical significance among results at 95% confidence level and provide the WST scores in term of the sum of positive scores in the same way as being provided by Bianco *et al.* [78]. Higher score means that one particular algorithm along with sensors configuration is able to perform well as compared to others. A lower WST score means that the performance is significantly low in comparison with the rest. To illustrate the visual difference among the ground truth illuminant and the estimated illuminant, we have included examples in form of plots. In each figure, IPF for \mathbf{e} and $\hat{\mathbf{e}}$ can be compared when the number of filters are same.

5. RESULTS AND DISCUSSION

We have provided the results in Tables 1-6. Table 1 shows that in the noiseless case with 3 filters, Spectral Gray Edge S_3^g performs the best, followed by S_3^{50} and then Max-Spectral S_3^f . S_3^d configuration performs the worst for all 4 algorithms. Illuminant estimation from noisy data shows also show same results. There is a slight improvement in mean error in some cases when noise data is used but this slight change is not statistically significant and the overall results are robust with noise. With 5 bands (Table 2), Spectral Gray Edge S_5^{50} is the best followed by Max-Spectral S_5^{50} for D65 and mix D65-F11 illuminants. F11 shows different behaviour as Max-Spectral S_5^g performs best and Spectral Edge S_5^{50} follows. With noisy data, Spectral Gray Edge S_5^{50}

Table 1. Performance of illuminant estimation algorithms and filter configurations for 3 bands. Green cells show the best performance and yellow cells show the 2nd best performance, for a particular algorithm and filters configuration. Spectral Gray-Edge with S_3^g configuration shows the best result.

Algorithm	Filter. Config.	D65				F11				Mixed illuminant (D65 and F11)			
		Without Noise		With Noise		Without Noise		With Noise		Without Noise		With Noise	
		Mean ΔA	Rank	Mean ΔA	Rank	Mean ΔA	Rank						
Spectral Gray World	S_3^g	0.1881	2	0.1761	2	0.1318	2	0.1125	2	0.1812	2	0.1691	2
	S_3^d	0.2923	0	0.2686	0	0.3184	0	0.2926	0	0.2954	0	0.2723	0
	S_3^{50}	0.1948	1	0.1822	1	0.1388	1	0.1182	1	0.1881	1	0.1753	1
Max Spectral	S_3^g	0.1148	5	0.1164	3	0.0729	4	0.0735	3	0.1103	5	0.1083	4
	S_3^d	0.1583	0	0.1516	0	0.1485	0	0.1612	0	0.1616	0	0.1544	0
	S_3^{50}	0.1196	4	0.1108	4	0.0749	4	0.0743	3	0.1151	4	0.1117	3
Spectral Shades of Gray	S_3^g	0.1229	3	0.1256	3	0.0846	3	0.0861	3	0.1186	3	0.1202	3
	S_3^d	0.1568	1	0.1574	1	0.1545	1	0.1718	1	0.1573	1	0.158	1
	S_3^{50}	0.1264	2	0.1283	2	0.0869	2	0.0887	2	0.122	2	0.1242	2
Spectral Gray Edge	S_3^g	0.1003	7	0.1011	6	0.0723	7	0.072	7	0.0968	7	0.0971	7
	S_3^d	0.1364	1	0.1364	1	0.1096	2	0.1093	3	0.1366	1	0.1363	1
	S_3^{50}	0.1037	6	0.1035	5	0.0742	5	0.0741	4	0.1002	6	0.1	6

Table 2. Performance of illuminant estimation algorithms and filter configurations for 5 bands. Spectral Gray-Edge with S_5^{50} configuration shows best result for D65 and mix D65-F11 illuminants but is placed second in case of F11 illuminant where Max-Spectral S_5^{50} performs best with noise-free data.

Algorithm	Filter. Config.	D65				F11				Mixed illuminant (D65 and F11)			
		Without Noise		With Noise		Without Noise		With Noise		Without Noise		With Noise	
		Mean ΔA	Rank	Mean ΔA	Rank	Mean ΔA	Rank						
Spectral Gray World	S_5^g	0.2323	1	0.217	1	0.1675	1	0.1413	1	0.2244	1	0.2092	1
	S_5^d	0.2843	0	0.2602	0	0.2803	0	0.2638	0	0.2882	0	0.2657	0
	S_5^{50}	0.1893	2	0.1772	2	0.1264	2	0.1095	2	0.1816	2	0.1697	2
Max Spectral	S_5^g	0.1192	3	0.1288	2	0.0876	4	0.0878	4	0.1125	4	0.1159	4
	S_5^d	0.1482	1	0.1465	1	0.1224	0	0.1305	0	0.1546	1	0.1537	1
	S_5^{50}	0.1018	5	0.1017	7	0.0655	9	0.0776	6	0.0981	7	0.0978	8
Spectral Shades of Gray	S_5^g	0.1454	2	0.146	2	0.1036	1	0.1077	2	0.1408	2	0.1416	2
	S_5^d	0.165	1	0.1643	1	0.136	0	0.1533	0	0.1662	1	0.1663	1
	S_5^{50}	0.1224	3	0.1239	3	0.083	6	0.0848	6	0.1178	3	0.1194	3
Spectral Gray Edge	S_5^g	0.1224	3	0.1218	3	0.0949	3	0.0952	3	0.1193	4	0.1191	3
	S_5^d	0.141	1	0.1411	1	0.119	1	0.1199	1	0.1413	2	0.1408	2
	S_5^{50}	0.1016	6	0.1012	7	0.0737	7	0.0743	7	0.0984	8	0.0983	8

Table 3. Performance of illuminant estimation algorithms and filter configurations for 8 bands. Max-Spectral with S_8^{50} performs best.

Algorithm	Filter. Config.	D65				F11				Mixed illuminant (D65 and F11)			
		Without Noise		With Noise		Without Noise		With Noise		Without Noise		With Noise	
		Mean ΔA	Rank	Mean ΔA	Rank	Mean ΔA	Rank						
Spectral Gray World	S_8^g	0.2748	1	0.257	1	0.1848	0	0.159	0	0.2654	1	0.2476	1
	S_8^d	0.3292	0	0.3059	0	0.0976	1	0.1326	0	0.3007	0	0.2779	0
	S_8^{50}	0.1884	2	0.1765	2	0.1237	1	0.1088	2	0.1807	2	0.1689	2
Max Spectral	S_8^g	0.1378	3	0.1334	4	0.0895	1	0.0942	2	0.1287	4	0.1241	5
	S_8^d	0.1552	2	0.151	2	0.0993	0	0.1673	0	0.1624	2	0.1661	1
	S_8^{50}	0.0986	9	0.1022	8	0.0631	7	0.0728	7	0.0942	8	0.1005	6
Spectral Shades of Gray	S_8^g	0.1623	1	0.1625	2	0.1114	1	0.1195	0	0.1564	2	0.1569	2
	S_8^d	0.1846	0	0.185	1	0.0653	5	0.1537	0	0.1704	1	0.1714	1
	S_8^{50}	0.1213	4	0.123	4	0.0823	2	0.085	4	0.1167	4	0.118	4
Spectral Gray Edge	S_8^g	0.1355	4	0.1362	2	0.1024	1	0.1027	1	0.1317	2	0.131	2
	S_8^d	0.1498	2	0.1502	3	0.0656	3	0.07	6	0.1408	2	0.1411	3
	S_8^{50}	0.1008	7	0.1019	8	0.0729	3	0.0723	5	0.0975	8	0.0985	8

Table 4. Performance of illuminant estimation algorithms and filter configurations for 12 bands. Max-Spectral with S_{12}^{50} performs best.

Algorithm	Filter. Config.	D65				F11				Mixed illuminant (D65 and F11)			
		Without Noise		With Noise		Without Noise		With Noise		Without Noise		With Noise	
		Mean ΔA	Rank	Mean ΔA	Rank	Mean ΔA	Rank						
Spectral Gray World	S_{12}^g	0.3007	1	0.2808	1	0.2022	0	0.1737	0	0.2905	1	0.2707	1
	S_{12}^d	0.344	0	0.3204	0	0.1806	1	0.215	0	0.3276	0	0.3027	0
	S_{12}^{50}	0.1881	2	0.1762	2	0.1251	2	0.1087	4	0.1804	2	0.1688	2
Max Spectral	S_{12}^g	0.1439	3	0.1447	4	0.107	2	0.1217	3	0.1386	4	0.139	2
	S_{12}^d	0.1574	2	0.158	2	0.0975	2	0.2122	0	0.1561	2	0.1545	2
	S_{12}^{50}	0.0996	9	0.1041	9	0.0642	7	0.0727	7	0.0966	8	0.101	8
Spectral Shades of Gray	S_{12}^g	0.1746	2	0.175	3	0.1152	2	0.134	4	0.1679	3	0.1681	3
	S_{12}^d	0.1964	0	0.1959	2	0.0912	3	0.2195	0	0.1851	2	0.1855	2
	S_{12}^{50}	0.1214	4	0.1232	4	0.0821	3	0.085	6	0.1168	4	0.1194	4
Spectral Gray Edge	S_{12}^g	0.1456	3	0.1455	4	0.1066	1	0.1078	3	0.1414	3	0.1414	3
	S_{12}^d	0.161	2	0.1618	2	0.0804	5	0.0931	6	0.153	2	0.1536	2
	S_{12}^{50}	0.1007	8	0.1009	9	0.0728	5	0.0737	7	0.0973	8	0.0976	9

Table 5. Performance of illuminant estimation algorithms and filter configurations for 20 bands. Max-Spectral with S_{20}^{50} configuration performs best for D65 and F11, while Spectral Gray Edge S_{20}^{50} performs best for mixed illuminants.

Algorithm	Filter. Config.	D65				F11				Mixed illuminant (D65 and F11)			
		Without Noise		With Noise		Without Noise		With Noise		Without Noise		With Noise	
		Mean ΔA	Rank	Mean ΔA	Rank	Mean ΔA	Rank						
Spectral Gray World	S_{20}^g	0.3212	1	0.3002	1	0.1994	1	0.1886	2	0.3099	1	0.2886	1
	S_{20}^d	0.3391	0	0.3158	0	0.2251	0	0.2535	0	0.3309	0	0.3061	0
	S_{20}^{50}	0.188	2	0.1762	2	0.1232	2	0.1087	5	0.1803	2	0.1687	2
Max Spectral	S_{20}^g	0.1521	2	0.1499	4	0.0956	2	0.1253	3	0.1445	4	0.1443	3
	S_{20}^d	0.1621	2	0.1576	2	0.1036	3	0.1851	0	0.1503	3	0.1493	3
	S_{20}^{50}	0.0996	9	0.1047	8	0.0626	9	0.0688	9	0.097	8	0.1023	8
Spectral Shades of Gray	S_{20}^g	0.1843	1	0.1848	3	0.1168	3	0.1572	2	0.1768	3	0.1772	3
	S_{20}^d	0.1944	0	0.1941	2	0.1317	2	0.2307	0	0.1885	2	0.1876	2
	S_{20}^{50}	0.1214	4	0.1232	4	0.0821	5	0.0854	7	0.1166	4	0.119	4
Spectral Gray Edge	S_{20}^g	0.1531	3	0.1536	4	0.1087	2	0.1089	5	0.1485	4	0.1489	4
	S_{20}^d	0.163	2	0.1633	3	0.1209	2	0.1284	3	0.16	2	0.16	2
	S_{20}^{50}	0.1006	8	0.1009	9	0.0728	7	0.0732	8	0.0972	9	0.0973	9

gives consistent performance in terms of WST ranking while performance of Max-Spectral S_5^{50} is significantly reduced in case of F11 illuminant. Table 3 shows that with 8 filters the trend for best performance shifts from Spectral Edge to Max-Spectral as S_8^{50} performs best for both illuminants. However, in case of F11, it is interesting to note that Spectral Shades of Gray S_8^d performs the second best. This behavior is explained by the spikes in F11 illuminant and S^d configuration is able to detect those spikes more efficiently. However, with noisy data, Shades of Gray S_8^d is unable to perform anymore and Spectral Gray Edge S_8^g gets the second best ranking while the rest of trend remains almost the same. For 12 bands, Max-Spectral S_{12}^{50} achieves the best estimate, followed by Spectral Gray-Edge S_{12}^{50} as seen in Table 4. Performance of those algorithms remains similar in presence of noise. In Table 5, results from using 20 filters show that Max-Spectral S_{20}^{50} and Spectral Gray Edge S_{20}^{50} performs almost the same in both conditions.

We also compare performance on individual images to determine the effect of scene content on illuminant estimation with D65 illuminant. With 3 channels, images I1, I2, I4, I6 and I8 show good performance with Spectral Gray Edge S_3^g while with images I3, I5 and I7, Max-Spectral S_3^g performs the best. To illustrate the difference in projection of ground truth illuminant and

the estimated illuminant, some examples are shown in Figures 4-8. In each figure, the x-axis represents each filter among the N filters and configuration, while the y-axis represent values of \mathbf{e} and $\hat{\mathbf{e}}$, corresponding to the IFP. The points in figures are joined through straight lines so that the overall behavior can be observed easily. It is worth noting that the results for different number of filters are not comparable across Figures 4-8, since the dimension of filters is change in each of them. Figure 4 show the estimated illuminants in sensor domain for I3 and I4 when Spectral Gray Edge S_3^g is used. For 5 filters, I3 and I7 performs best with Max-Spectral S_5^{50} while other images show good results with Spectral Gray Edge S_5^{50} . I6 performs worst with Max-Spectral S_5^{50} which is the reason that this algorithm and configurations gets the 2nd best rank while Spectral Gray Edge S_5^{50} gets highest score for 5 channels. Figure 5 shows the estimated illuminant in sensor domain for I5 and I3. Figure 5 shows poor performance of illuminant estimation for I3 and I5. At this stage, the trend of improvement in Max-Spectral can already be observed which becomes clear with 8 channels as Max-Spectral S_8^{50} performs best for all images except I6 which works well with Spectral Gray Edge S_8^{50} . The performance of Max-Spectral S_8^{50} for images I3 and I5 is shown in Figure 6. Same behavior is shown by individual images with 12 and 20 channels




Fig. 4. Illuminant’s Projection over Filters (IPF) of D65 with N=3 channels and estimated illuminants with Spectral Gray Edge S_3^S for images I3 and I4 with ΔA of 0.228 and 0.0158, respectively. I4 gives good result while I3 performs worst.




Fig. 5. Illuminant’s Projection over Filters (IPF) of D65 with N=5 channels and estimated illuminants with Spectral Gray Edge S_5^S in sensor domain for images I3 and I5 with ΔA of 0.2284 and 0.0457, respectively. I5 gives good result while I3 performs worst.

as well. Figures 7 and 8 show performance of Max-Spectral S^{50} for I6 and I7 when number of channels are 12 and 20 respectively. In other images, there is close tie between Max-Spectral S_8^{50} and Spectral Gray Edge S_8^{50} but images I3 and I6 do not perform well with Spectral Gray Edge S_8^{50} and thus causing it to get overall 2nd rank. Angular errors for all the algorithms, number of filters, filter configurations and illuminants being used are provided in the supplementary material. We have also provided the error in terms of xy chromaticity for each of the individual image along with the other parameters being tested, in the supplementary material.

Overall, the configuration S^{50} performs the best among tested filter configurations. Max-Spectral and Spectral Gray-Edge attain good results while Spectral Gray World shows the worst result for all cases. S^d shows slightly better performance with F11 illuminant but otherwise it also performs worst. It is interesting to note that Spectral Gray-Edge performs better with 3 bands but by increasing the number of bands, Max-Spectral algorithms starts performing the best among the tested algorithms. We investigate that trend by altering the value of Minkowski norm p as in Eq. 4 and 5. When the value of p parameter is increased, more weight is given to bright pixels in an image and this ultimately lead towards Max-Spectral algorithm. We performed tests with values of p varying from 1 to 1000. The results show very interesting observation that as more weight




Fig. 6. Illuminant’s Projection over Filters (IPF) of D65 with N=8 channels and estimated illuminants with Max-Spectral S_8^{50} in sensor domain for images I3 and I5 with ΔA of 0.1142 and 0.0446, respectively. I5 gives good result while I3 performs worst.




Fig. 7. Illuminant’s Projection over Filters (IPF) of D65 with N=12 channels and estimated illuminants with Max-Spectral S_{12}^{50} in sensor domain for images I6 and I7 with ΔA of 0.0838 and 0.0117, respectively. I7 gives good result.




Fig. 8. Illuminant’s Projection over Filters (IPF) of D65 with N=20 channels and estimated illuminants with Max-Spectral S_{20}^{50} in sensor domain for images I6 and I7 with ΔA of 0.0839 and 0.0117, respectively. I7 gives good result.




Fig. 9. Change in Angular Error with variation in p . We did experiments for $p = 1 - 1000$ but show results only up to 300 because there is no change in error value as the value of p is increased beyond 100.

is given to bright pixels in a scene, the illuminant estimation gets better. Thus it explains why Max-Spectral algorithm performs well specially with increase in number of bands. Figure 9 shows the change in angular error with variation in value of p .

Tables 1-5 provide analysis of the performance of the proposed algorithms along with a given sensor configuration, in terms of ΔA . However, these results cannot be compared across the different number of filters because ΔA can be compared between two vectors only if they have the same dimension (in our case, the ground-truth and estimated illuminants are in the sensor dimension).

Mosny and Funt [66] [67] performed their evaluation in rg chromaticity space. In their method, RGB of estimated illuminant is obtained after identifying which illuminant from a database of known illuminants it is most similar to, and using that illuminant's rgb , as the conversion value. Based on this evaluation, they concluded that there is minor improvement in increasing number of bands from 3 to 6 for illuminant estimation but further increase to 9 bands does not provide any improvement. For evaluating the effect of number of bands, we perform the evaluation based on chromaticity error in Table 6 but with a different approach as defined in Section 4C. The comparison is performed among 5 different number of spectral filters (3, 5, 8, 12 & 20), 3 sensor configurations (equi-Gaussian, Dirac delta & equi-energy filters), and 4 algorithms (Spectral gray-world, Max-Spectral, Spectral shades of gray & Spectral gray-edge algorithm). We have used Euclidean distance for evaluation of xy chromaticity error since we are assuming that our evaluation is in terms of physical measurement. Using the xy chromaticity space allows us to retain our assumption and enables the comparison among the ground-truth illuminant and the estimated illuminant.

Evaluation based on xy chromaticity error for D65 shows that best result is obtained from Spectral Gray Edge S_8^{50} and 2nd best are the Spectral Gray Edge S_8^d and S_{12}^d . However, there is a significant statistical difference among S^{50} and S^d for this illuminant which becomes more prominent in the case of noisy data.

With F11 illuminant, Max-Spectral S_{20}^d performs the best and is followed by Max-Spectral S_8^g . This behavior of is explained from the spectral power distribution of F11, as shown in Fig. 2b. The spiky character of this illuminant can be best acquired with the ideal Dirac delta type of filters. However, in presence of noise, performance of Max-Spectral S_{20}^d is significantly reduced.

Max-Spectral S_8^g performs best in case of noisy data and is followed by Max-Spectral S_{20}^g .

In case of mix D65-F11 illuminant, Max-Spectral S_{20}^d performs the best while Spectral Gray Edge S_8^{50} and Max-Spectral S_5^g perform 2nd and 3rd best respectively. Since the behavior of mix D65-F11 illuminant is influenced by peaks of F11 illuminant, therefore, S_{20}^d performs best in this case. Same trend continues in case of noisy data where the statistically significant difference among results is more prominent in light of WST rankings.

It is interesting to note that by increasing the number of channels beyond 8, there is a reduction in performance of illuminant estimation algorithms. It suggests that spectral resolution should also be maintained in a multispectral imaging system. As noticed from Table 6, S_{20}^{50} configuration performs the worst because of huge overlapping among filter sensitivities. This leads to the conclusion that by increasing the number of bands, more noise is introduced during image acquisition and therefore, performance of illuminant estimation algorithm is degraded. To validate this, we performed an additional illuminant estimation experiment using the native spectral resolution of the data, which is equivalent to Dirac delta configuration with 33 filters (S_{33}^d). There is no improvement in results when compared with the already obtained results from 20 channels and it performs the worst when noise is added to the system. This fact is also observed by Wang *et al.* [74] where the spectral reconstruction results start degrading after increasing the number of filters beyond 12.

Although the results and ranks are based only on 8 images of similar contents and may not lead to a strong conclusion, our investigation suggests several general behaviors. First, overlapping equi-energy filters may be most suitable for natural or smooth illuminations. Although there may be loss of spectral resolution in case of using large overlapping sensors, since natural illuminations behave smoothly throughout the visible spectrum, overlapping equi-energy filters are able to perform well. We observe the same trend after noise is added to the images before illuminant estimation. Second, the Max-Spectral and Spectral Gray Edge algorithms provide better results than the other tested algorithms in general. Result is rather dependant on image content also, and in some of the images, better estimate of illuminant is achieved (data seems to follow the illumination), in other the results are quite noisy. Third, we found contradictory results as compared to Mosny and Funt [66] and our results suggest that illuminant chromaticity can be better retrieved when we increase the number of bands. However, the impact on color rendering is yet to be investigated. The optimum number of bands seems to be around 8. Finally, we still cannot provide clear indications on how good illuminant estimation is in term of usability. In practice, the indicator used only provides relative ranking and objective indications on quality. Further analysis is required to understand what accuracy should be achieved for acquiring illuminant invariant representation of multispectral images.

6. CONCLUSION AND FUTURE WORK

In this work, we proposed to extend illuminant estimation from color to multispectral imaging. Based on an extensive review of state of the art algorithms for computational color constancy, we selected 4 algorithms that belong to the class of *equivalent illumination models*, and extended them from 3-channels to N -channels. We named those extended algorithms *spectral gray*

Table 6. Ranking based on xy chromaticity error in terms of Euclidean distance (ED). Green cells show the best performance, yellow cells show the 2nd best and blue cells represent the 3rd best performance, for a particular algorithm and filters configuration. Spectral Edge S_8^{50} gives the best performance for D65 illuminant. With F11 illuminant, Max-Spectral S_{20}^d performs the best and is followed by Max-Spectral S_8^g . In case of mix D65-F11 illuminant, Max-Spectral S_{20}^d gives the best result and Spectral Edge S_8^{50} comes after it. Overall, Max-Spectral algorithm gives consistent performance and illuminant is best estimated with 8 filters.

No. of filters	Algorithm	Filter. Config.	D65				F11				Mixed illuminant (D65 and F11)			
			Without Noise		With Noise		Without Noise		With Noise		Without Noise		With Noise	
			Mean ED	Rank	Mean ED	Rank	Mean ED	Rank	Mean ED	Rank	Mean ED	Rank	Mean ED	Rank
3	Spectral	S_3^g	0.0702	3	0.0621	3	0.0575	4	0.0469	10	0.0692	2	0.0608	6
	Gray	S_3^d	0.0741	1	0.0671	2	0.0592	2	0.0577	6	0.0727	0	0.0664	3
	World	S_3^{50}	0.0712	2	0.0633	2	0.0583	3	0.0478	9	0.0702	1	0.0619	4
	Max Spectral	S_3^g	0.0274	6	0.0268	16	0.028	10	0.0272	15	0.0274	7	0.0251	27
		S_3^d	0.0317	2	0.0296	8	0.034	2	0.0362	8	0.0322	2	0.0306	14
		S_3^{50}	0.0283	3	0.0236	28	0.0278	10	0.0223	29	0.0283	3	0.0256	24
	Spectral	S_3^g	0.034	3	0.0345	6	0.0336	2	0.0332	11	0.0343	3	0.0342	6
	Shades of Gray	S_3^d	0.0346	4	0.0351	7	0.0344	8	0.0379	11	0.0345	4	0.0349	7
		S_3^{50}	0.0342	3	0.0345	6	0.0334	3	0.0333	12	0.0345	3	0.0347	6
	Spectral	S_3^g	0.0281	10	0.0284	13	0.029	10	0.0287	13	0.0283	14	0.0283	12
	Gray	S_3^d	0.0285	12	0.0286	15	0.0264	22	0.0262	22	0.0285	15	0.0284	17
	Edge	S_3^{50}	0.0282	10	0.028	15	0.0286	11	0.0285	13	0.0283	13	0.0283	21
5	Spectral	S_5^g	0.0736	2	0.065	3	0.0629	1	0.0516	7	0.0728	1	0.0642	4
	Gray	S_5^d	0.0819	1	0.072	2	0.067	1	0.0796	4	0.0804	0	0.0722	3
	World	S_5^{50}	0.0747	2	0.0648	3	0.0627	2	0.0499	7	0.0738	1	0.0637	4
	Max Spectral	S_5^g	0.0263	15	0.0276	15	0.0262	17	0.0212	30	0.0232	29	0.0218	34
		S_5^d	0.028	14	0.028	15	0.0337	3	0.0425	8	0.0319	5	0.0303	9
		S_5^{50}	0.0249	16	0.0202	38	0.029	17	0.0309	15	0.0241	28	0.0219	26
	Spectral	S_5^g	0.0355	2	0.0354	6	0.0328	3	0.0305	14	0.0354	2	0.0351	7
	Shades of Gray	S_5^d	0.036	3	0.0358	6	0.0331	3	0.0484	7	0.0363	3	0.0363	7
		S_5^{50}	0.0352	2	0.035	6	0.033	3	0.0306	13	0.0351	2	0.0347	7
	Spectral	S_5^g	0.0313	3	0.0312	6	0.0299	9	0.0301	13	0.0313	3	0.0311	7
	Gray	S_5^d	0.0302	5	0.0302	10	0.0288	12	0.0291	13	0.0302	6	0.03	10
	Edge	S_5^{50}	0.0311	4	0.0309	6	0.0304	9	0.0308	13	0.0313	4	0.0314	7
8	Spectral	S_8^g	0.0702	8	0.0628	4	0.06	7	0.0473	8	0.0693	6	0.0619	8
	Gray	S_8^d	0.0725	2	0.0645	2	0.0579	9	0.0376	8	0.0712	1	0.0626	5
	World	S_8^{50}	0.0701	7	0.0687	2	0.0605	7	0.0575	6	0.0693	6	0.0676	3
	Max Spectral	S_8^g	0.0267	15	0.0255	21	0.0217	32	0.0169	51	0.0229	25	0.0212	35
		S_8^d	0.0274	10	0.0273	9	0.0296	4	0.0496	7	0.027	5	0.0256	13
		S_8^{50}	0.0546	2	0.0925	1	0.0292	15	0.082	2	0.0331	2	0.1005	2
	Spectral	S_8^g	0.0311	3	0.0312	7	0.0287	13	0.0271	20	0.0308	4	0.0309	8
	Shades of Gray	S_8^d	0.0316	4	0.032	7	0.0285	8	0.0493	7	0.0311	4	0.0313	8
		S_8^{50}	0.0239	19	0.0262	12	0.023	26	0.0251	23	0.0234	19	0.0258	7
	Spectral	S_8^g	0.0267	20	0.0269	20	0.0257	20	0.0255	21	0.0267	19	0.0265	21
	Gray	S_8^d	0.0263	24	0.0265	26	0.0256	22	0.0239	30	0.0262	25	0.0265	26
	Edge	S_8^{50}	0.0232	33	0.0159	43	0.0232	24	0.0258	17	0.0222	30	0.0168	44
12	Spectral	S_{12}^g	0.0728	2	0.0651	2	0.0621	2	0.0478	8	0.0718	1	0.0643	3
	Gray	S_{12}^d	0.0754	1	0.0669	2	0.0729	0	0.1015	2	0.0753	0	0.0667	3
	World	S_{12}^{50}	0.0729	1	0.0482	4	0.0619	2	0.05	9	0.0719	1	0.0592	5
	Max Spectral	S_{12}^g	0.0277	14	0.0275	9	0.0241	17	0.0205	33	0.0231	20	0.0218	26
		S_{12}^d	0.0292	12	0.0274	15	0.0259	14	0.0782	3	0.0245	15	0.0227	23
		S_{12}^{50}	0.1152	0	0.103	2	0.3765	0	1.4405	0	0.1457	0	0.3697	0
	Spectral	S_{12}^g	0.0316	5	0.0319	8	0.0295	13	0.0277	20	0.0313	4	0.0315	8
	Shades of Gray	S_{12}^d	0.0322	4	0.0324	7	0.0322	2	0.1069	2	0.0321	4	0.0327	8
		S_{12}^{50}	0.0298	3	0.0823	1	0.0367	3	0.0657	3	0.0293	4	0.0354	4
	Spectral	S_{12}^g	0.0268	23	0.0268	25	0.0259	20	0.0262	22	0.0267	21	0.0268	24
	Spectral Gray Edge	S_{12}^d	0.0268	24	0.027	24	0.0271	13	0.0443	7	0.0269	23	0.0272	23
		S_{12}^{50}	0.0339	13	0.0459	15	0.0396	3	0.3079	0	0.0337	14	0.118	3
20	Spectral	S_{20}^g	0.0726	2	0.0649	2	0.0619	2	0.0443	10	0.0717	1	0.064	3
	Gray	S_{20}^d	0.0702	2	0.062	3	0.0652	1	0.0387	10	0.0704	1	0.0609	4
	World	S_{20}^{50}	0.0729	2	0.0723	1	0.0619	2	0.0393	11	0.0719	1	0.0441	6
	Max Spectral	S_{20}^g	0.0282	14	0.027	17	0.0225	28	0.0182	37	0.023	28	0.0221	31
		S_{20}^d	0.0256	15	0.0388	6	0.0199	45	0.0398	8	0.0219	39	0.0188	47
		S_{20}^{50}	0.4377	0	0.3142	0	0.2082	1	0.2405	0	0.195	0	0.4725	0
	Spectral	S_{20}^g	0.032	4	0.0324	7	0.0296	13	0.0273	22	0.0316	4	0.0318	8
	Shades of Gray	S_{20}^d	0.0328	3	0.0331	6	0.0301	10	0.0434	7	0.0327	4	0.0322	8
		S_{20}^{50}	0.1013	0	0.2115	0	0.034	14	0.0497	7	0.0914	0	0.2327	1
	Spectral	S_{20}^g	0.0274	19	0.0273	22	0.0261	20	0.0263	23	0.0273	22	0.0274	22
	Gray	S_{20}^d	0.0289	17	0.0291	17	0.0257	27	0.0286	17	0.0289	20	0.0291	19
		S_{20}^{50}	0.1146	0	0.1693	0	0.0347	13	0.1177	2	0.1409	0	0.5641	0

world, max-spectral, spectral shades of gray, and spectral gray edge algorithms. Results show that both spectral gray edge and max-spectral algorithms perform well in illuminant estimation. Comparison among three different sensor sensitivities is also performed and the overlapping equi-energy filters are able to estimate the illuminant more accurately as compared to equi-Gaussian or Dirac delta functions for limited number of channels. The same results are obtained when noise is added to the image data which shows that the proposed extended algorithms for illuminant estimation are robust to noise.

The illuminant estimation results obtained from simulated multispectral sensors show promising aspects of application of the proposed framework. Based on these results, future work could be derived in three directions. First, development of new algorithms or further extension of more sophisticated illuminant estimation algorithms from color to spectral may be performed. Second, the validity of the proposed framework may be evaluated for real data acquired with a multispectral camera. Finally further development in evaluation and usability of this framework may be performed, for instance by evaluating surface classification under different illuminations.

ACKNOWLEDGEMENT

Authors want to thank the Regional Council of Burgundy, France for funding a part of this research.

REFERENCES

1. A. Stockman, D. I. A. MacLeod, and N. E. Johnson, "Spectral sensitivities of the human cones," *J. Opt. Soc. Am. A* **10**, 2491–2521 (1993).
2. P.-J. Lapray, X. Wang, J.-B. Thomas, and P. Gouton, "Multispectral filter arrays: Recent advances and practical implementation," *Sensors* **14**, 21626–21659 (2014).
3. J.-B. Thomas, P.-J. Lapray, P. Gouton, and C. Clerc, "Spectral Characterization of a Prototype SFA Camera for Joint Visible and NIR Acquisition," *Sensors* **16**, 993 (2016).
4. R. Shrestha, J. Y. Hardeberg, and R. Khan, "Spatial arrangement of color filter array for multispectral image acquisition," in "Proc. SPIE, Sensors, Cameras, and Systems for Industrial, Scientific, and Consumer Applications XII," vol. 7875 (2011), vol. 7875, pp. 787503–787503–9.
5. Y. Manabe, K. Sato, and S. Inokuchi, "An object recognition through continuous spectral images," in "12th International Conference on Pattern Recognition," vol. 1 (1994), vol. 1, pp. 858–860.
6. C. Liu, W. Liu, X. Lu, F. Ma, W. Chen, J. Yang, and L. Zheng, "Application of multispectral imaging to determine quality attributes and ripeness stage in strawberry fruit," *PLOS ONE* **9**, 1–8 (2014).
7. F. Imai and R. Berns, "Spectral estimation using trichromatic digital cameras," in "International Symposium on Multispectral Imaging and Color Reproduction for Digital Archives," (1999), pp. 42–49.
8. D. Connah, S. Westland, and M. G. A. Thomson, "Recovering spectral information using digital camera systems," *Coloration Technology* **117**, 309–312 (2001).
9. E. M. Valero, J. L. Nieves, S. M. C. Nascimento, K. Amano, and D. H. Foster, "Recovering spectral data from natural scenes with an RGB digital camera and colored filters," *Color Research & Application* **32**, 352–360 (2007).
10. R. Shrestha and J. Y. Hardeberg, "Spectrogenic imaging: A novel approach to multispectral imaging in an uncontrolled environment," *Opt. Express* **22**, 9123–9133 (2014).
11. J. Y. Hardeberg and R. Shrestha, "Multispectral colour imaging: Time to move out of the lab?" in "Mid-term meeting of the International Colour Association (AIC)," (Tokyo, Japan, 2015), pp. 28–32.
12. J.-B. Thomas, "Illuminant estimation from uncalibrated multispectral images," in "Colour and Visual Computing Symposium (CVCS)," (Gjøvik, Norway, 2015), pp. 1–6.
13. O. Bertr and C. Tallon-Baudry, "Oscillatory gamma activity in humans: a possible role for object representation," *Trends in Cognitive Sciences* **3**, 151–162 (1999).
14. M. Ebnér, *Color Constancy* (Wiley Publishing, 2007), 1st ed.
15. D. H. Brainard and L. T. Maloney, "Surface color perception and equivalent illumination models," *Journal of Vision* **11**, 1 (2011).
16. D. H. Brainard, W. A. Brunt, and J. M. Speigle, "Color constancy in the nearly natural image. 1. Asymmetric matches," *J. Opt. Soc. Am. A* **14**, 2091–2110 (1997).
17. K. Barnard, V. Cardei, and B. Funt, "A comparison of computational color constancy algorithms. i: Methodology and experiments with synthesized data," *IEEE Transactions on Image Processing*, **11**, 972–984 (2002).
18. S. J. Dickinson, "Object representation and recognition," in "What is Cognitive Science," E. Lepore and Z. Pylyshyn, eds. (Basil Blackwell Publishers, 1999), chap. 5, pp. 172–207.
19. M. J. Swain and D. H. Ballard, "Color indexing," *International Journal of Computer Vision* **7**, 11–32 (1991).
20. B. V. Funt and G. D. Finlayson, "Color constant color indexing," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **17**, 522–529 (1995).
21. T. Gevers and A. W. Smeulders, "Color-based object recognition," *Pattern Recognition* **32**, 453–464 (1999).
22. S. D. Hordley, "Scene illuminant estimation: Past, present, and future," *Color Research and Application* **31**, 303–314 (2006).
23. L. T. Maloney and B. A. Wandell, "Color constancy: a method for recovering surface spectral reflectance," *J. Opt. Soc. Am. A* **3**, 29–33 (1986).
24. D. Cheng, B. Price, S. Cohen, and M. S. Brown, "Effective learning-based illuminant estimation using simple features," in "IEEE Conference on Computer Vision and Pattern Recognition," (2015), pp. 1000–1008.
25. M. D'Zmura and P. Lennie, "Mechanisms of color constancy," *J. Opt. Soc. Am. A* **3**, 1662–1672 (1986).
26. E. Land, "Recent Advances in Retinex Theory and Some Implications for Cortical Computations: Color Vision and the Natural Image," *Proceedings of the National Academy of Science* **80**, 5163–5169 (1983).
27. E. H. Land and J. J. McCann, "Lightness and retinex theory," *J. Opt. Soc. Am.* **61**, 1–11 (1971).
28. E. H. Land, "The retinex theory of color vision," *Scientific American* pp. 108–128 (1977).
29. J. von Kries, "Influence of adaptation on the effects produced by luminous stimuli," D.L. MacAdam (Ed.), *Sources of color science* pp. 109–119 (1970).
30. von Kries J., "Theoretische studien über die umstimmung des sehorgans," *Handbuch der Physiologie des Menschen* p. 211–212 (1905).
31. G. Buchsbaum, "A spatial processor model for object colour perception," *Journal of the Franklin Institute* **310**, 1–26 (1980).
32. R. Gershon, A. D. Jepson, and J. K. Tsotsos, "From [r,g,b] to surface reflectance: Computing color constant descriptors in images," in "Proceedings of the 10th International Joint Conference on Artificial Intelligence," (Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, 1987), pp. 755–758.
33. G. D. Finlayson and E. Trezzi, "Shades of gray and colour constancy," in "Color and Imaging Conference," (Scottsdale, Arizona, 2004), 1, pp. 37–41.
34. J. van de Weijer and T. Gevers, "Color constancy based on the grey-edge hypothesis," in "IEEE International Conference on Image Processing," vol. 2 (2005), vol. 2, pp. II–722–5.
35. J. van de Weijer, T. Gevers, and A. Gijsenij, "Edge-based color constancy," *IEEE Transactions on Image Processing* **16**, 2207–2214 (2007).
36. T. Celik and T. Tjahjadi, "Adaptive colour constancy algorithm using discrete wavelet transform," *Computer Vision and Image Understanding* **116**, 561–571 (2012).
37. A. Chakrabarti, K. Hirakawa, and T. Zickler, "Color constancy with spatio-spectral statistics," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **34**, 1509–1519 (2012).
38. M. Rezagholizadeh and J. Clark, "Edge-based and efficient chromaticity spatio-spectral models for color constancy," in "International Confer-

- ence on Computer and Robot Vision," (2013), pp. 188–195.
39. A. Gijsenij and T. Gevers, "Color constancy using natural image statistics and scene semantics," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **33**, 687–698 (2011).
 40. D. Forsyth, "A novel algorithm for color constancy," *International Journal of Computer Vision* **5**, 5–35 (1990).
 41. A. Gijsenij, T. Gevers, and J. van de Weijer, "Generalized gamut mapping using image derivative structures for color constancy," *International Journal of Computer Vision* **86**, 127–139 (2010).
 42. G. D. Finlayson, S. D. Hordley, and P. M. Hübner, "Color by correlation: a simple, unifying framework for color constancy," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **23**, 1209–1221 (2001).
 43. J. Huo, Y. Chang, J. Wang, and X. Wei, "Robust automatic white balance algorithm using gray color points in images," *IEEE Transactions on Consumer Electronics* **52**, 541–546 (2006).
 44. K.-J. Yoon, Y. J. Chofi, and I.-S. Kweon, "Dichromatic-based color constancy using dichromatic slope and dichromatic line space," in "IEEE International Conference on Image Processing," , vol. 3 (2005), vol. 3, pp. III–960–3.
 45. S. Ratnasingham and S. Collins, "Study of the photodetector characteristics of a camera for color constancy in natural scenes," *J. Opt. Soc. Am. A* **27**, 286–294 (2010).
 46. G. Sapiro, "Color and illuminant voting," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **21**, 1210–1215 (1999).
 47. D. H. Brainard and W. T. Freeman, "Bayesian color constancy," *J. Opt. Soc. Am. A* **14**, 1393–1411 (1997).
 48. W. Xiong and B. Funt, "Stereo Retinex," in "The 3rd Canadian Conference on Computer and Robot Vision," (2006), pp. 15–15.
 49. G. D. Finlayson, S. D. Hordley, and P. Morovic, "Chromagenic colour constancy," in "10th Congress of the International Colour Association," (2005).
 50. C. Fredembach and G. Finlayson, "The bright-chromagenic algorithm for illuminant estimation," *Journal of Imaging Science and Technology* **54**, 040906–1–040908–11 (2008).
 51. B. A. Wandell, "The synthesis and analysis of color images," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **9**, 2–13 (1987).
 52. K. Barnard, G. Finlayson, and B. Funt, "Color constancy for scenes with varying illumination," *Computer Vision and Image Understanding* **65**, 311–321 (1997).
 53. G. D. Finlayson, B. V. Funt, and K. Barnard, "Color constancy under varying illumination," in "5th International Conference on Computer Vision," (1995), pp. 720–725.
 54. J. L. Nieves, C. Plata, E. M. Valero, and J. Romero, "Unsupervised illuminant estimation from natural scenes: an rgb digital camera suffices," *Appl. Opt.* **47**, 3574–3584 (2008).
 55. V. C. Cardei, B. Funt, and K. Barnard, "Estimating the scene illumination chromaticity by using a neural network," *J. Opt. Soc. Am. A* **19**, 2374–2386 (2002).
 56. H. R. V. Joze and M. S. Drew, "Improved machine learning for image category recognition by local color constancy," in "IEEE International Conference on Image Processing," (2010), pp. 3881–3884.
 57. J. T. Barron, "Convolutional color constancy," in "IEEE International Conference on Computer Vision," (2015), pp. 379–387.
 58. V. Agarwal, A. V. Gribok, and M. A. Abidi, "Machine learning approach to color constancy," *Neural Networks* **20**, 559–563 (2007).
 59. N. Wang, D. Xu, and B. Li, "Edge-Based Color Constancy via Support Vector Regression," *IEICE Transactions on Information and Systems* **92**, 2279–2282 (2009).
 60. Z. Lou, T. Gevers, N. Hu, and M. Lucassen, "Color constancy by deep learning," in "British Machine Vision Conference," (2015).
 61. W. Shi, C. C. Loy, and X. Tang, "Deep specialized network for illuminant estimation," in "European Conference on Computer Vision," (Springer, 2016), pp. 371–387.
 62. S. Bianco, C. Cusano, and R. Schettini, "Color constancy using CNNs," in "IEEE Conference on Computer Vision and Pattern Recognition Workshops," (2015), pp. 81–89.
 63. S. W. Oh and S. J. Kim, "Approaching the computational color constancy as a classification problem through deep learning," *Pattern Recognition* **61**, 405–416 (2017).
 64. F. Vagni, *Survey of Hyperspectral and Multispectral Imaging Technologies* (Technical Report. North Atlantic Treaty Organization, Sensors and Electronics Technology Panel, 2007).
 65. K.-S. Lee, W. B. Cohen, R. E. Kennedy, T. K. Maier-Sperger, and S. T. Gower, "Hyperspectral versus multispectral data for estimating leaf area index in four different biomes," *Remote Sensing of Environment* **91**, 508–520 (2004).
 66. M. Mosny and B. Funt, "Multispectral colour constancy," *Color and Imaging Conference* pp. 309–313 (2006).
 67. M. Mosny and B. Funt, "Multispectral color constancy: real image tests," in "SPIE, Human Vision and Electronic Imaging XII," , vol. 6492 (2007), vol. 6492, pp. 64920S–6.
 68. D. H. Foster, K. Amano, S. M. C. Nascimento, and M. J. Foster, "Frequency of metamerism in natural scenes," *J. Opt. Soc. Am. A* **23**, 2359–2372 (2006).
 69. M. DiCosola, "Understanding illuminants," Tech. rep., X-Rite (1995).
 70. M. Rezagholizadeh and J. J. Clark, "Image sensor modeling: Color measurement at low light levels," *Journal of Imaging Science and Technology* **58**, 30401–1–30401–11 (2014).
 71. K. Barnard and B. Funt, "Camera characterization for color research," *Color Research & Application* **27**, 152–163 (2002).
 72. G. D. Finlayson, M. S. Drew, and B. V. Funt, "Spectral sharpening: sensor transformations for improved color constancy," *J. Opt. Soc. Am. A* **11**, 1553–1563 (1994).
 73. P.-J. Lapray, J.-B. Thomas, P. Gouton, and Y. Ruicheck, "Energy balance in spectral filter array camera design," *Journal of the European Optical Society-Rapid Publications* **13**, 1 (2017).
 74. X. Wang, J.-B. Thomas, J. Y. Hardeberg, and P. Gouton, "Multispectral imaging: narrow or wide band filters?" *Journal of the International Colour Association* **12**, 44–51 (2014). [Http://jaic.jsitservices.co.uk/index.php/JAIC/article/view/149](http://jaic.jsitservices.co.uk/index.php/JAIC/article/view/149).
 75. J. Hernández-Andrés, J. Romero, J. L. Nieves, and R. L. Lee, "Color and spectral analysis of daylight in southern europe," *J. Opt. Soc. Am. A* **18**, 1325–1335 (2001).
 76. J. Conde, H. Haneishi, M. Yamaguchi, N. Ohyama, and J. Baez, "Cie-xyz fitting by multispectral images and mean square error minimization with a linear interpolation function," *Revista Mexicana de Física* **6**, 601–607 (2004).
 77. S. D. Hordley and G. D. Finlayson, "Reevaluation of color constancy algorithm performance," *J. Opt. Soc. Am. A* **23**, 1008–1020 (2006).
 78. S. Bianco, F. Gasparini, and R. Schettini, "Consensus-based framework for illuminant chromaticity estimation," *Journal of Electronic Imaging* **17**, 023013 (2008).
 79. G. D. Finlayson, R. Zakizadeh, and A. Gijsenij, "The reproduction angular error for evaluating the performance of illuminant estimation algorithms," *IEEE Transactions on Pattern Analysis and Machine Intelligence* **PP**, 1–1 (2016).